



New Bronzelite LED Luminaires
FLLI Series - Accent Light
WLM2 Series - Step Light

Quality, Innovation, Performance

Bronzelite's new LED products offer the quality, innovation and performance you need to illuminate any application.



WLM2 Step Light



1ft. strip shown

FLLI Accent Light



Why Choose LED?

- **Longevity**
- **Energy Efficiency**
- **Durability**
- **Mercury Free**
- **Cool Beam of Light, No UV**
- **Unparalleled Uniformity**
- **Instant On**

The Luxflo™ LED System Difference

- **Luxeon® LEDs**
- **Custom Design-In Philosophy**
- **Long Life**
- **Premium Optical Design**
- **Color Consistency**

WLM2 Series LED Specifications

Applications: any location that is difficult to maintain, a low level pathway system, architectural accent, staircase, deck, outdoor kitchen, etc. Easily mounts to wood, tile, stone, stainless steel, etc.

- Long life, up to 50,000 hours.
- 40 – 80 lumen minimum output for white
- Runs off 12V AC/DC power.
- Current draw equals 0.128A @ 12V DC, 1.5 watts
- Ambient temperature limits -40°C to +55°C (-40°F to 135°F)
- Aluminum housing and covers
- PMMA lens, PTFE Lead Wires 20" (508mm) long, 20AWG
- Optional PVC mounting niche available for direct burial
- Anodized aluminum base and "snap-on" top cover.
- IP67 rated for interior or exterior use
- ETL listed to UL standards for dry, damp or wet locations
- 10 year limited warranty.



FLLI Series LED Specifications


Applications: wall washing, flood lighting, façade lighting, building grazing, cove lighting and sign lighting.

- 70% lumen maintenance @ 50,000 hours at max ambient temp.
- 6 Luxeon™ Rebel® LEDs per linear foot.
- Choice of 4 optical patterns: Spot, Medium, Wide, Oval.
- Self cleaning “flush” lens
- Input voltage is 13v AC or 12V DC for wet location.
- 24V DC down to 12V DC for dry location.
- Power consumption is 7.5/ft
- A maximum of 16' of fixtures can be connected with 24V input.
- 8' maximum of fixtures with 13V input
- Anodized aluminum construction
- UV stabilized polycarbonate lens
- IP67 rated for interior or exterior use
- ETL listed to UL standards for dry, damp or wet locations
- 10 year limited warranty.




1ft. strip shown

Ordering Information: WLM2 Series



Ordering Information: FLLI Series



Why Bronzelite?

Bronzelite is a Philips group brand and for nearly 40 years, their specification grade landscape and underwater luminaires have delivered the highest levels of quality, innovation and performance

Bronzelite's products keep architects, engineers and other specifiers coming back. Our products offer efficiency and durability that is matched with ease of installation.

Visit www.bronzelite.com to discover a wide selection of solutions for all of your lighting challenges, whether highlighting a particular landmark, fountain, or simply beautifying your property.